



SAFETY DATA SHEET

PETRA LIQUID HAND SANITIZER

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830; US OSHA HCS 2015; and Canadian WHMIS 2015.

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Code:** 9030G55
Product Name: Petra Liquid Hand Sanitizer
Additional Information This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- 1.3 Details of the Supplier of the Safety Data Sheet:**
- Manufacturer: Petra Oil Company Inc.
11085 Regency Green Drive
Cypress, TX 77429
For More Information Call: 713-856-5700
- 1.4 Emergency telephone number:** CHEMTREC 1-800-424-9300
Toll Free 24hr, 1-703-527-3887 (International)

Section 2. Hazards Identification

- 2.1 Classification of the Substance or Mixture:**
Flammable Liquids, Category 3
Serious Eye Damage/Eye Irritation, Category 2A
Flammable Liquids, Category 2
Specific Target Organ Toxicity (single exposure), Category 3
Aquatic Toxicity (Acute), Category 3
Aquatic Toxicity (Chronic), Category 3

2.2 Label Elements:



GHS Signal Word: **Danger**

GHS Hazard Phrases:

- H225 - Highly flammable liquid and vapor.
- H226 - Flammable liquid and vapor.
- H319 - Causes serious eye irritation.
- H336 - May cause drowsiness or dizziness.
- H402 - Harmful to aquatic life.
- H412 - Harmful to aquatic life with long lasting effects.

GHS Precautionary Phrases:

- P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 - Keep container tightly closed.
- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 - Wash hands thoroughly after handling.
- P271 - Use only outdoors or in a well-ventilated area.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

- P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
- P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

- P405 - Store locked up.
- P501 - Dispose of contents/container to ...

UFI:

2.3 Adverse Human Health Hazards not otherwise classified (HNOC) or not covered by GHS -none. Hazards not **Effects and Symptoms:** otherwise classified (HNOC) or not covered by GHS. Chronic: None.

- 2.3.1 Inhalation:** No hazard expected in normal industrial use.
- 2.3.2 Skin Contact:** Non-irritating to the skin.
- 2.3.3 Eye Contact:** Non-irritating to the eyes.
- 2.3.4 Ingestion:** No hazard expected in normal industrial use.

Section 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
64-17-5	Ethyl alcohol 01-2119457610-43-0000	80.0 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225
67-63-0	Isopropyl alcohol 01-2119457558-25-0000	3.0 -7.0 %	200-661-7 603-117-00-0	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336
7732-18-5	Water	15.0 -25.0 %	231-791-2	No GHS classifications apply.

	na		NA	
56-81-5	Glycerin	1.0 -5.0 %	200-289-5	No GHS classifications apply.
	01-2119471987-18-0000		NA	

Section 4. First Aid Measures

- 4.1 Description of First Aid Measures:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
- In Case of Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. No specific treatment is necessary since this material is not likely to be hazardous by inhalation.
- In Case of Skin Contact:** Wash off with soap and plenty of water. Consult a physician. No specific treatment is necessary, since this material is not likely to be hazardous.
- In Case of Eye Contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. No specific treatment is necessary, since this material is not likely to be hazardous.
- In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. No specific treatment is necessary, since this material is expected to be non-hazardous.
- 4.2 Important Symptoms and Effects, Both Acute and Delayed:** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Note for the Doctor:** Treat symptomatically and supportively.
- 4.3 Indication of any immediate medical attention and special treatment needed:** No data available.

Section 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Not available.
- 5.2 Flammable Properties and Hazards:** Carbon oxides,
No data available.
No data available.
- Flash Pt:** 17.00 C Method Used: Estimate
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** No data.
- 5.3 Fire Fighting Instructions:** Wear self contained breathing apparatus for fire fighting if necessary. Further information. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.

Section 6. Accidental Release Measures

- 6.1 Protective Precautions, Protective Equipment and Emergency Procedures:** Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8. Evacuate personnel to safe areas.
- 6.2 Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and Material For Containment and Cleaning Up:** Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7. Handling and Storage

- 7.1 Precautions To Be Taken in Handling:** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Use explosion-proof equipment. No special handling procedures are required.
- 7.2 Precautions To Be Taken in Storing:** Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 -8 - 8 deg.C. Storage class 510) No special storage requirements.
- Other Precautions:** Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
64-17-5	Ethyl alcohol	ACGIH TLV	TLV: 1000 ppm STEL: 1000 ppm	
		France VL	TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm)	
		OSHA PELs	PEL: 1000 ppm	
		Britain EH40	TWA: 1920 mg/m3 (1000 ppm) STEL: ()	
67-63-0	Isopropyl alcohol	ACGIH TLV	TLV: 200 ppm STEL: 400 ppm	
		France VL	STEL: 980 mg/m3 (400 ppm)	
		OSHA PELs	PEL: 400 ppm	
		Britain EH40	TWA: 999 mg/m3 (400 ppm) STEL: 1250 mg/m3 (500 ppm)	
56-81-5	Glycerin	ACGIH TLV	TLV: 10 mg/m3	
		France VL	TWA: 10 mg/m3	
		OSHA PELs	PEL: 15 (dust); 5 (resp.) mg/m3	
		Britain EH40	TWA: 10 mg/m3 () STEL: ()	

8.2 Exposure Controls:

- 8.2.1 Engineering Controls (Ventilation etc.):** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. There are no special ventilation requirements.

8.2.2 Personal protection equipment:

- Eye Protection:** Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Eye protection is not normally required. Safety glasses with side-shields conforming to EN166.
- Protective Gloves:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Protective garments not normally required.
- Other Protective Clothing:** Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Protective garments not normally required.
- Respiratory Equipment (Specify Type):** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Respirator protection is not normally required.

- Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

- 8.2.3 Environmental Exposure Controls:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

- Physical States:** [] Gas [X] Liquid [] Solid
- Appearance and Odor:** Color: Clear. Nearly odorless.
- pH:** No data.
- Melting Point:** NA -94.00 - 137.00 C
- Boiling Point:** No data. - 100.00 C
- Flash Pt:** 17.00 C Method Used: Estimate
- Evaporation Rate:** No data.
- Flammability (solid, gas):** No data available.
- Explosive Limits:** LEL: No data. UEL: No data.
- Vapor Pressure (vs. Air or mm Hg):** No data.
- Vapor Density (vs. Air = 1):** No data.
- Specific Gravity (Water = 1):** No data.
- Density:** ~ 0.79 G/CM3
- Solubility in Water:** No data.
- Octanol/Water Partition Coefficient:** No data.

Autoignition Pt: No data.
Decomposition Temperature: No data.
Viscosity: No data.
Explosive Properties: No data available.
Oxidizing Properties: No data available.

9.2 Other Information

Percent Volatile: No data.

Section 10. Stability and Reactivity

- 10.1 Reactivity:** No data available.
- 10.2 Stability:** Unstable [] Stable [X]
- 10.3 Conditions To Avoid - Hazardous Reactions:** No data available. Vapors may form explosive mixture with air.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
- 10.4 Conditions To Avoid - Instability:** Heat, flames and sparks. Extremes of temperature and direct sunlight.
- 10.5 Incompatibility - Materials To Avoid:** Strong oxidizing agents. Strong oxidizing agents, Strong reducing agents, Bases, None. Strong bases.
- 10.6 Hazardous Decomposition or Byproducts:** No data available. In the event of fire: see section 5. Other decomposition products: None. Carbon oxides.

Section 11. Toxicological Information

- 11.1 Information on Toxicological Effects:** Acute toxicity. No data available. Inhalation: Dermal. Germ cell mutagenicity. Reproductive toxicity. Aspiration hazard: Epidemiology: Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies:
- Irritation or Corrosion:** Skin corrosion/irritation. No data available. Serious eye damage/eye irritation no data available. Provide adequate ventilation. Result: Tumorigenic:Tumors at site or application. Mild eye irritation -24. Serious eye damage/eye irritation: Eyes - rabbit -
- Sensitization:** No data available. Guinea pig 88%, 4 Result: Tumorigenic:Tumors at site or application.
- Chronic Toxicological Effects:** Specific target organ toxicity -single exposure (Globally Harmonized System) No data available. Specific target organ toxicity -repeated exposure: no data available. Specific target organ toxicity - single exposure: May cause drowsiness or dizziness. Specific target organ toxicity - repeated exposure:
- Carcinogenicity/Other Information:** IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64-17-5	Ethyl alcohol	n.a.	1	A4	n.a.
67-63-0	Isopropyl alcohol	n.a.	3	A4	n.a.
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
56-81-5	Glycerin	n.a.	n.a.	n.a.	n.a.

Section 12. Ecological Information

- 12.1 Toxicity:** No data available.
- 12.2 Persistence and Degradability:** No data available. Biodegradability Result: 91 % -Readily biodegradable. - Readily biodegradable.
- 12.3 Bioaccumulative Potential:** No data available. Does not bioaccumulate.
- 12.4 Mobility in Soil:** No data available.
- 12.5 Results of PBT and vPvB assessment:** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
- 12.6 Other adverse effects:** No data available. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

Section 13. Disposal Considerations

- 13.1 Waste Disposal Method:** Product.
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Contaminated packaging. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

Section 14. Transport Information

- GHS Classification:** Flammable Liquids, Category 3 - Warning! Flammable liquid and vapor
Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation
Flammable Liquids, Category 2 - Danger! Highly flammable liquid and vapor
Specific Target Organ Toxicity (single exposure), Category 3 - Warning! May cause respiratory irritation, or may cause drowsiness and dizziness
Aquatic Toxicity (Acute), Category 3 - Harmful to aquatic life
Aquatic Toxicity (Chronic), Category 3 - Harmful to aquatic life with long lasting effects

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: ALCOHOLS, N.O.S. (Ethanol)
DOT Hazard Class: 3 FLAMMABLE LIQUID
UN/NA Number: UN1987 **Packing Group:** III



14.1 LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: ALCOHOLS, N.O.S. (Ethanol)
UN Number: 1987 **Packing Group:** III
Hazard Class: 3 - FLAMMABLE LIQUID **TDG Classification:**

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name:
UN Number: 1987 **Packing Group:** III
Hazard Class: 3 - FLAMMABLE LIQUID

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: ALCOHOLS, N.O.S. (Ethanol)
UN Number: 1987 **Packing Group:** III
Hazard Class: 3 - FLAMMABLE LIQUID

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64-17-5	Ethyl alcohol	No	No	No
67-63-0	Isopropyl alcohol	No	No	Yes
7732-18-5	Water	No	No	No
56-81-5	Glycerin	No	No	No

CAS #	Hazardous Components (Chemical Name)	Canadian NPRI	Canadian Toxic	Canadian DSL
64-17-5	Ethyl alcohol	Yes: Part 5		Yes
67-63-0	Isopropyl alcohol	Yes: Part 5		Yes
7732-18-5	Water	No	No	Yes
56-81-5	Glycerin	No	No	Yes

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
64-17-5	Ethyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
67-63-0	Isopropyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
7732-18-5	Water	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
56-81-5	Glycerin	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
64-17-5	Ethyl alcohol	Mexico INSQ: Yes; Australia ICS: Yes; New Zealand IOC: Yes; China IECSC: Yes; Japan ENCS: Yes - 5-153; Japan ISHL: No; Korea ECL: Yes - KE-13217; Philippines ICCS: Yes; Taiwan TCSCA: Yes; Singapore HSL: No; Israel HSL: Yes - Cat.; Germany WHCS: Yes - 96: WGK 1; Switzerland Giftliste 1: Yes - G-1158
67-63-0	Isopropyl alcohol	Mexico INSQ: Yes - 1219; Australia ICS: Yes; New Zealand IOC: Yes; China IECSC: Yes; Japan ENCS: Yes - 2-207; Japan ISHL: Yes - 2-(8)-319; Korea ECL: Yes - KE-29363; Philippines ICCS: Yes; Taiwan TCSCA: Yes; Singapore HSL: No; Israel HSL: Yes - Cat.; Germany WHCS: Yes - 135: WGK 1; Switzerland Giftliste 1: Yes - G-1712
7732-18-5	Water	Mexico INSQ: Yes; Australia ICS: Yes; New Zealand IOC: Yes; China IECSC: Yes; Japan ENCS: Yes - 7-1663; Japan

56-81-5 Glycerin

ISHL: 2-(4)-1220; Korea ECL: Yes - KE-35400; Philippines ICCS: Yes; Taiwan TCSCA: Yes; Singapore HSL: No; Israel HSL: No; Germany WHCS: No; Switzerland Giftliste 1: No Mexico INSQ: Yes; Australia ICS: Yes; New Zealand IOC: Yes; China IECSC: Yes; Japan ENCS: Yes - 7-338; Japan ISHL: No; Korea ECL: Yes - KE-29297; Philippines ICCS: Yes; Taiwan TCSCA: Yes; Singapore HSL: No; Israel HSL: No; Germany WHCS: Yes - 116: WGK 1; Switzerland Giftliste 1: Yes - G-1659

Section 16. Other Information

Revision Date: 05/14/2020

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information and recommendations contained herein are, to the best of Petra Oil Company's knowledge and belief, accurate and reliable as of the date issued. Because many factors may affect processing or application/use, Petra Oil Company recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, data and information furnished by Petra Oil Company hereunder are given gratis and Petra Oil Company assumes no obligation or liability for the description, designs, data and information given or results obtained. All such being given and accepted at your risk.